FRANCES, SA. (New site for 2019)

Weed Management Strategies

2019: Trojan Wheat (2018: Faba Beans)

Timing	MS 1 (lowest input)	MS 2	MS 3	MS 4 (highest input)
2018 Harvest management	Weedmaster DST (1.1 L/ha) *(Glyphosate. Group M)*	Weedmaster DST (2.2 L/ha)	Weedmaster DST (1.1 L/ha)	Weedmaster DST (2.2 L/ha)
Pre-sowing knockdown 15th May	Glyphosate (2 L/ha) + Goal (75 mL/ha) *(Group M)* *(Oxyfluorfen. Group G)*			
Pre-sowing double knockdown 15th May	-	-	Spray Seed (2 L/ha) *(Paraquat, Diquat. Group L)*	Spray Seed (2 L/ha)
Sowing date	15th May			
Row spacing	42 cm (16.5”)	42 cm (16.5”)	21 cm (8.3”)	21 cm (8.3”)
Pre-emergent 15th May	Sakura (118 g/ha) + Avadex Extra (2 L/ha) *(Pyroxasulfone. Group K)* *(Triallate. Group J)*			
Pre-emergent 15th May	-	-	-	Extra 21 kg N (in row banded), 15 kg P and 11.5 kg S per ha.
Post-emergent 11th June	-	-	-	Boxer Gold (2.5 L/ha) *(Prosulfocarb. Group J; S-metolachlor. Group K)*
Harvest management	-	-	Crop top with glyphosate	Crop top with glyphosate