

## Hamilton, Vic.

### Weed Management Strategies (MS)

2019: Accroc Wheat (2018: Canola Hybrid TT)

Timing	MS 1 (lowest input)	MS 2	MS 3	MS 4 (highest input)
Pre-sowing		Chaff line (into furrows)		Chaff line (into furrows)
Sowing Date	18 <sup>th</sup> May 2019			
Sowing Rate	100 kg/ha	100 kg/ha	125 kg/ha	125 kg/ha
Pre-emergent IBS (incorporated by sowing) 18 <sup>th</sup> May	Sakura (118 g/ha) <i>(Pyroxasulfone. Group K)</i>	Sakura (118 g/ha) + TriflurX (2 L/ha) <i>(Trifluralin. Group D)</i>	Sakura (118 g/ha) + Avadex Xtra (2 L/ha) <i>(Triallate. Group J)</i>	Sakura (118 g/ha) + Avadex Xtra (2 L/ha)  In row banded N
Post-sow pre-emergent (PSPE) 20 <sup>th</sup> May	-	-	Sakura (40 g/ha) + Logran (25g/ha) <i>(Triasulfuron. Group B)</i>	Sakura (40 g/ha) + Logran (25g/ha)
Post-emergent 17 <sup>th</sup> June	-	-	Boxer Gold (1.5 L/ha) <i>(Prosulfocarb. Group J)</i> <i>(Metolachlor. Group K)</i>	Boxer Gold (2.5 L/ha)
Harvest management	Burn stubble	Chaff line	Burn stubble	Chaff line