

# MILLICENT, SA.

## Weed Management Strategies

2019: Accroc Wheat (2018: Broad Beans)

Timing	MS 1 (lowest input)	MS 2	MS 3	MS 4 (highest input)
Pre-sowing April 2019	Windrow burn stubble			
Pre-sowing knockdown (at time of sowing)	Glyphosate (2 L/ha) + Goal (75 mL/ha) (Group M) (Oxyfluorfen. Group G)			
Pre-sowing double knock (at time of sowing)	-	-	Speed till	Speed till
Sowing Date	27 <sup>th</sup> May 2019	Early: 13 <sup>th</sup> May 2019		
Pre-emergent (at time of sowing)	Paraquat 250 (1.6 L/ha) (Group L) + Sakura (118 g/ha) (Pyroxasulfone. Group K)	Triflur X (2 L/ha) (Trifluralin. Group D) + Dual Gold (250 mL/ha) (S-metolachlor. Group K)	Sakura (118 g/ha) + Avadex Extra (2 L/ha) (Triallate. Group J)	Sakura (118 g/ha) + Avadex Extra (2 L/ha)
Post-emergent 6 <sup>th</sup> June	-	-	-	Boxer Gold (2.5 L/ha) (Prosulfocarb. Group J; S-Metolachlor. Group K)