

Frances, SA.

Weed Management Strategies

2020: Faba Beans (2019: Trojan Wheat. 2018: Faba Beans)

Timing	MS 1 (lowest input)	MS 2	MS 3	MS 4 (highest input)
2019 Harvest management (Crop top Dec)			Weedmaster DST (3 L/ha) <i>(Glyphosate. Group M)</i>	Weedmaster DST (3 L/ha)
Pre-sowing knockdown	Roundup Ultramax (1.5 L/ha) + Sharpen (24gm/ha) <i>(Glyphosate. Group M)</i> <i>(Saflufenacil, Group G)</i>			
Sowing date	5th May			
Row spacing	30 cm			
Pre-emergent (IBS)	Propyzamide (1kg/ha) + Terbyne Xtreme (1 kg/ha) <i>(Group D)</i> <i>(Terbuthylazine. Group C)</i>			
Post-emergent (10 th June)	Clethodim (500 mL/ha) <i>(Group A)</i>	Clethodim (500 mL/ha)	Clethodim (500 mL/ha) + Factor (180 g/ha) <i>(Butroxydim, Group A)</i>	Clethodim (500 mL/ha) + Factor (180 g/ha)
Harvest management (Crop top)	Weedmaster DST (1.1 L/ha)	Weedmaster DST (2.1 L/ha)	Weedmaster DST (1.1 L/ha)	Weedmaster DST (2.1 L/ha)